

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5513343".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:50
L2	9534	java with servers	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:59
L3	9534	java with servers	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:00
L4	2531	L3 and failure	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:00
L5	1327	L4 and application adj2 server	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:00
L6	129	L5 and distributor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:00
L7	102	L6 and classes	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:00
L8	99	L7 and client	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:00
L9	92	L8 and application adj servers	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:00

L10	4018	L3 and fail\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:00
L11	155	L10 and distributor and classes and application adj server	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:00
L12	56	L11 and load near balanc\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:13
L13	56	L11 and load near balanc\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:01
L14	40	L13 and distribut\$4 adj4 (module or system or manag\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:06
L15	1	13 and distributor adj module	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:06
L16	0	13 and control adj module	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:07
L17	8	13 and manage\$5 adj3 module	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:07
L18	3291	application adj servers and java with servers	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:13
L19	1622	18 and fail\$5 and (distribut\$5 or rout\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:14

L20	1360	19 and client and connection	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:28
L21	853	20 and configur\$4 and failure	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:28
L22	1088	20 and configur\$4 and (failure or fail)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:29
L23	1085	22 and (rout\$4 or module or control\$4 or manag\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:30
L24	1085	23 and application near2 servers	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:29
L25	909	24 and rout\$4 and (control\$4 or manag\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:30
L26	909	25 and client	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:31
L27	166	26 and server near3 (class or classes)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:32
L28	88	27 and load with balanc\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:48
L29	2	"6236999".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:50

L30	86	28 and load adj balanc\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:51
L31	35	30 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:51